acron®
HARDWARE COMPANY

# Master Catalog

Glass hardware · Slim aluminium profiles · Glass railing profiles

213 PRODUCTS · EDITION 2026



**acronhardwarecompany.com** +91 98101 93200 · sales@acronhardwarecompany.com

CONTENTS

# Master Catalog

**Glass Hardware** ..... **3**
Floor Springs & Pivots ..... 3
Shower Hinges ..... 4
Patch Fittings ..... 5
Sliding Systems ..... 6
Glass Door Locks ..... 7
Glass Connectors & Clamps ..... 9
Shower Accessories & Seals ..... 11
Glass Door Handles ..... 12
Spider Fittings & Routels ..... 14
Sliding Tracks ..... 17
Automatic Door Systems ..... 18

**Slim Aluminium Profiles** ..... **19**
Swing Door Systems ..... 19
Sliding Systems ..... 19
Folding Systems ..... 20
Shower Enclosures ..... 21
Ghost Fitting ..... 21
Profile Components ..... 22

**Glass Railing Profiles** ..... **23**
Top Rails / Handrails ..... 23
Base Shoes / Bottom Channels ..... 26
Spigots & Railing Accessories ..... 31

HOW TO ORDER

Quote any SKU on WhatsApp **+91 98101 93200** — share the code, finish and quantity. Full specifications, drawings and single-page technical data sheets for every product are at **acronhardwarecompany.com**. Specifications may change without notice; confirm critical dimensions before fabrication.

# Glass Hardware

SS 304 hinges, patch fittings, floor springs, locks, handles, connectors and spider systems for 8–15 mm toughened glass.

118 products in 11 groups

## Floor Springs & Pivots



AR-75

### Floor Spring AR-75 (Spring Only)

Load up to 90 kg
Finishes Epoxy Coated



AR-75-CP

### Floor Spring Combo Pack AR-75

Load up to 80 kg
Finishes Epoxy Coated



AR-502

### Top Pivot (SS 304)

Material SS 304



AR-8000

### Floor Spring AR-8000 (Spring Only)

Load up to 120 kg
Finishes Epoxy Coated



AR-8000-CP

### Floor Spring Combo Pack AR-8000

Material SS 304
Load up to 120 kg
Finishes Epoxy Coated, Gold, Rose Gold, Black Matt



AR-9000

### Floor Spring AR-9000 (Spring Only)


Load up to 150 kg
Finishes Epoxy Coated



AR-9000-CP

### Floor Spring Combo Pack AR-9000

Material SS 304
Load up to 150 kg
Finishes Epoxy Coated



ARAP-503

### Top / Bottom Arm Pivot (Mild Steel)

Material Mild Steel



ARHP-1000

### SS 304 Hydraulic Patch (Machine Only)

Material SS 304
Load up to 120 kg



ARHP-1000-CP

### SS 304 Hydraulic Patch Combo Pack

Material SS 304
Load up to 120 kg

## Shower Hinges



AR-001

### Wall to Glass 90° Hinge, One Side Plate

Material SS 304
Glass 8-10 mm
Finishes SS Satin



AR-001A

### Wall to Glass 90° Hinge, Both Side Plate

Material SS 304
Glass 8-10 mm
Finishes SS Polish, SS Satin



AR-002

### Glass to Glass 135° Hinge

Material SS 304
Glass 8-10 mm
Finishes SS Polish, SS Satin



AR-003

### Glass to Glass 180° Hinge

Material SS 304
Glass 8-10 mm
Finishes SS Polish, SS Satin



AR-004

### Glass to Glass 90° Hinge, Double Side

Material SS 304
Glass 8-10 mm
Finishes SS Polish, SS Satin



AR-005

### Wall to Glass Fix Hinge

Material SS 304
Glass 8-10 mm
Finishes SS Polish, SS Satin



AR-006

### Glass to Glass T-Hinge

Material SS 304
Glass 8-10 mm
Finishes SS Satin

## Patch Fittings



ARPF-10

### Top Patch – Heavy Duty

Material SS 304



ARPF-20

### Bottom Patch – Heavy Duty

Material SS 304



ARPF-040

### Over Panel / Side Panel Connecting Patch – Big L

Material SS 304



ARPF-042

### Over Panel / Side Panel Connector with Fin Fitting (R/L)

Material SS 304



ARPF-509

### Over Panel / Side Panel Connector Patch – Small L

Material SS 304



ARPF-510

### Over Panel Connector for Back Doors

Material SS 304



ARPF-511

### Over Panel Patch for Side Wall

Material SS 304



ARPF-583

### Double Glass Connector with fin Fitting Inside

Material SS 304




ARPF-585

### Quadrant Connector with fin

Material SS 304

## Sliding Systems



AR-012

### Frameless Sliding Door System (SS 304)

Material SS 304



AR-022

### Sliding Door Roller – Big Wheel


Material SS 304



AR-024

### Sliding Door Roller – Small Wheel

Material SS 304



ARSR-002

### Sliding Door Roller Set (SS 304)

Material SS 304

## Glass Door Locks



ARDL-19

### Sliding Lock Wall TO Glass

Material SS 304



ARDL-20

### Sliding Lock Glass TO Glass

Material SS 304



ARDL-25

### Glass to Glass Lock

Material SS 304



ARDL-26

### Wall to Glass Lock

Material SS 304



ARDL-27

### Glass to Glass Lock with Knob & Key



ARDL-28

### Wall to Glass Lock with Knob & Key



ARDL-29

## Glass to Glass Lock with Knob & Key



ARDL-29B

## Glass Door Lock

Material SS 304



ARDL-30

## Wall to Glass Lock with Knob & Key



ARDL-31

## Glass to Glass Lock with Knob



ARDL-32

## Wall to Glass Lock with Knob



ARDL-33

## Glass to Glass Lock with Knob & Key



ARDL-34

## Wall to Glass Lock with Knob & Key



ARDL-35


## Glass to Glass Lock Strict



ARDL-096

## Glass Door Lock with Mortise Lock & Handle

Finishes SS Satin



ARPE-50

### Angel Lock

Material SS 304

## Glass Connectors & Clamps



AR-528C

### Glass Clamping Connector

Material SS 304
Finishes SS Satin



AR-529

### Glass to Glass Connector

Material SS 304
Finishes SS Satin



AR-530

### Double Glass Connector

Material SS 304
Finishes SS Satin



AR-613

### Fixed Floor Mounting Clamp

Material SS 304
Finishes SS Satin



AR-614

### Glass to Glass 90°

Material SS 304
Finishes SS Polish, SS Satin



AR-615

### Glass to Glass 135°

Material SS 304
Finishes SS Satin



AR-616

## Glass to Glass 180°

Material SS 304
Finishes SS Polish, SS Satin



AR-617

## Wall to Glass 90°

Material SS 304
Finishes SS Satin



AR-618

## Wall to Glass 135°

Material SS 304
Finishes SS Satin



AR-619

## Wall to Glass 180°

Material SS 304
Finishes SS Satin



AR-1200

## Round Wall to Glass Connector 90°

Material SS 304
Finishes SS Satin



AR-1201

## Fixed Floor Mounting Connector

Material SS 304
Finishes SS Polish, SS Satin



AR-1202

## Glass to Glass connector 90°

Material SS 304
Finishes SS Satin



AR-1203

## Wall Glass connector 90°


Material SS 304
Finishes SS Polish, SS Satin



AR-1204

## Glass to Glass 135°

Material SS 304
Finishes SS Satin



AR-1206

### Glass to Glass 180°

Material SS 304
Finishes SS Satin

## Shower Accessories & Seals



AR-07

### Reinforcing Bar (Brass, Ø19 mm)

Material Brass
Finishes Mirror (Brass)



AR-08

### Reinforcing Bar Support

Material Brass
Finishes Mirror (Brass)



AR-009

### Pipe Connector (Brass, Ø19 mm)


Material Brass
Finishes Mirror (Brass)



AR-010

### Tee Pipe Connector (Brass, Ø19 mm)

Material Brass
Finishes Mirror (Brass)



ARSE-201

### Shower Seal 180° – Side Panel to Door

Glass 10–12 mm



ARSE-202


### Central Seal – Transparent with Soft Lip



ARSE-206

### Magnet Seal 90° (Pair)

Glass 10-12 mm



ARSE-207

### Side Seal


Glass 10-12 mm



ARSE-208

### Magnet Seal 180° (Pair)


Glass 10-12 mm



ARSE-213

### Shower Seal

Glass 10-12 mm




ARSE-214

### F Seal

Glass 10-12 mm

## Glass Door Handles



AR-503

### Round Glass Knob Handle – Ø50 mm


Material SS 304
Finishes SS Satin



AR-504

### Rectangular Sliding Door Flush Handle

Material SS 304
Finishes SS Satin



AR-505

### Rectangular Sliding Door Flush Handle (Large)

Material SS 304
Finishes SS Satin



AR-4112

### Glass Door Pull Handle – 305 mm C/C

Finishes SS Satin



AR-4112A

### Glass Door Pull Handle – 450 mm C/C

Finishes SS Polish, SS Satin



AR-4112B

### Glass Door Pull Handle – 600 mm C/C

Dimensions 32 × 600 × 900
Finishes SS Satin



AR-4112C

### Glass Door Pull Handle – 900 mm C/C

Dimensions 32 × 900 × 1200
Finishes SS Satin



AR-4113

### D Handle – 300 mm C/C

Finishes SS Satin



AR-4114

### Glass Door Pull Handle – 305 mm C/C (Premium)

Finishes SS Satin



AR-4115

### Glass Door Pull Handle – 300 mm C/C (25 mm)

Finishes SS Satin



AR-4153

### Glass Door Pull Handle – 152 × 457 mm (6"×18")

Dimensions 19 × 152 × 457
Finishes SS Satin



AR-4153A

### Glass Door Pull Handle – 135 × 435 mm

Dimensions 19 × 150 × 450
Finishes SS Satin



AR-4153B

### Glass Door Pull Handle – 130 × 385 mm

Dimensions 19 × 152 × 457
Finishes SS Satin



AR-4153C

### Hole to Hole 152 x 457 mm

Finishes SS Satin



AR-4154

### Glass Door Handle with Lock – 1125 mm C/C

Finishes SS Satin

## Spider Fittings & Routels



ARAR-36

### Glass Routel – Articulated, Flat Head

Material SS 304



ARAR-ST37

### Glass Routel – Articulated, Countersunk

Material SS 304



ARCA-95

### Spider Connector Assembly (SS 304 / MS Weld Base)

Material SS 304



ARFB-200

### Fin Bracket 200mm

Material SS 304
Glass 12–15 mm



ARFB-300

### Fin Bracket 300mm

Material SS 304
Glass 12–15 mm



ARFB-350

### Fin Bracket 350mm

Material SS 304
Glass 12–15 mm



ARFB-400

## Fin Bracket 400mm

Material SS 304
Glass 12-15 mm



ARFR-30

## Glass Routel – Fixed, Flat Head

Material SS 304



ARFR-ST31

## Glass Routel – Fixed, Countersunk

Material SS 304



ARPS-221

## One Way Spider without fin


Material SS 304



ARPS-222

## Two Way Spider without fin 90°

Material SS 304



ARPS-222A

## Two Way Spider without fin 180°

Material SS 304



ARPS-223

## Three Way Spider without fin

Material SS 304



ARPS-224

## Four Way Spider without fin

Material SS 304



ARSF-001

## One Way Spider with fin

Material SS 304



ARSF-002

## Two Way Spider with fin 90°

Material SS 304



ARSF-003

## Two Way Spider with fin 180°

Material SS 304



ARSF-004

## One Way Spider for fin Glass

Material SS 304



ARSF-005

## Four Way Spider with fin

Material SS 304



ARSF-006

## Two Way Spider 90° fin to Glass

Material SS 304



ARSP-200

## Splice Plate 200mm


Material SS 304
Glass 12-15 mm



ARSP-300

## Splice Plate 300mm


Material SS 304
Glass 12-15 mm



ARSP-350

## Splice Plate 350mm

Material SS 304
Glass 12-15 mm



ARSP-400

## Splice Plate 400mm

Material SS 304
Glass 12-15 mm

## Sliding Tracks



AR-44T

### Aluminium Track Channel – Single Door Glass

Material Aluminium



AR-44T-2

### Aluminium Sliding Track – Fix + Door Glass

Material Aluminium



AR-44T-3

### Aluminium Sliding Track – Double Door Glass

Material Aluminium



AR-SCH-1

### Wall to Track Clamp

Material Aluminium



AR-SCH-2

### Glass to Track Clamp

Material Aluminium

# Automatic Door Systems



AR-150

## Automatic Sliding Door System

| | |
|---|---|
| Material | Aluminium |
| Load | up to 150 kg |
| Dimensions | Rail 2000 / 4000 |
| Loading Capacity | Up to 150kgs / Up to 2 x 150kgs |

# Slim Aluminium Profiles

Ultra-slim 16×45 and 25×45 aluminium profile systems for swing, sliding, folding and shower partitions.

20 products in 6 groups

## Swing Door Systems



ACR-SP-DBL

### Double Door System

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 150 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-HNG

### Hinge Door System

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 80 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-PIV

### Pivot Door System

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 150 kg |
| Dimensions | 16×45 / 25×45 profile series |

## Sliding Systems



ACR-SP-MW-3

### Moving Wall System 3+0

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-MW-4

### Moving Wall System 4+0

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-SLD-1S1F

### Sliding System – 1 Slide + 1 Fix

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-SLD-2S1F

### Telescopic Sliding System – 2 Slide + 1 Fix

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-SLD-2S2F

### Synchro Sliding System – 2 Slide + 2 Fix (Two-Way)

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-SLD-3S1F

### Telescopic Sliding System – 3 Slide + 1 Fix

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-SLD-4S1F

### Telescopic Sliding System – 4 Slide + 1 Fix

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 100 kg |
| Dimensions | 16×45 / 25×45 profile series |

## Folding Systems



ACR-SP-SNF

### Slide-N-Fold System

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 80 kg |
| Dimensions | 16×45 / 25×45 profile series |

## Shower Enclosures



ACR-SP-SHW-1H1F

### Hinge Shower Enclosure 1+1 (180°)

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 80 kg |
| Dimensions | 16×45 / 25×45 profile series |



ACR-SP-SHW-2H1F

### Hinge Shower Enclosure 2+1 (180°)

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Load | up to 80 kg |
| Dimensions | 16×45 / 25×45 profile series |

## Ghost Fitting

ACR-SP-GHOST

ACR-SP-GHOST

### Ghost Fitting – Frameless Invisible Door

| | |
|---|---|
| Material | Aluminium |
| Finishes | Black Matt |

## Profile Components

ACR-SP-P1645-H

ACR-SP-P1645-H

### 16×45 Horizontal Profile

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Dimensions | 16 × 45 |
| Finishes | Black Matt, Bright Gold Brush, Rose Gold Brush, |

ACR-SP-P1645-V

ACR-SP-P1645-V

### 16×45 Vertical Profile

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Dimensions | 16 × 45 |
| Finishes | Black Matt, Bright Gold Brush, Rose Gold Brush, |

ACR-SP-P2545-D

ACR-SP-P2545-D

### 25×45 Divider Profile

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Dimensions | 25 × 45 |
| Finishes | Black Matt, Bright Gold Brush, Rose Gold Brush, |

ACR-SP-P2545-DJ

ACR-SP-P2545-DJ

### 25×45 Door Jamb Profile

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Dimensions | 25 × 45 |
| Finishes | Black Matt, Bright Gold Brush, Rose Gold Brush, |

ACR-SP-P2545-HC

ACR-SP-P2545-HC

### 25×45 Horizontal Profile with Clip

| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Dimensions | 25 × 45 |
| Finishes | Black Matt, Bright Gold Brush, Rose Gold Brush, |

ACR-SP-P2545-V

ACR-SP-P2545-V

### 25×45 Vertical Profile


| | |
|---|---|
| Material | Aluminium |
| Glass | 10 mm |
| Dimensions | 25 × 45 |
| Finishes | Black Matt, Bright Gold Brush, Rose Gold Brush, |

# Glass Railing Profiles

Extruded aluminium top rails and base shoes for frameless glass balustrades, plus SS spigots and connectors.

75 products in 3 groups

## Top Rails / Handrails



ACR-RP-3498

### Top Rail Profile – Sec. 3498

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.18–4.58 kg |
| Dimensions | Ø51.00, 47.57, 23.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3498 |



ACR-RP-3539

### Top Rail Profile – Sec. 3539

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 1.8–2.1 kg |
| Dimensions | 48.0, 1.00, 24.0, 24.0 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3539 |



ACR-RP-3923

### Top Rail Profile – Sec. 3923

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.3–3.5 kg |
| Dimensions | 40.00, 40.00, 1.60, 20.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3923 |



ACR-RP-3925

### Top Rail Profile – Sec. 3925

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.2–4.5 kg |
| Dimensions | 1.60, 35.00, 26.90, 60.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3925 |



ACR-RP-4087

### Top Rail Profile – Sec. 4087


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.45–3.65 kg |
| Dimensions | 25.00, 30.10, 5.40 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4087 |



ACR-RP-4332

### Top Rail Profile – Sec. 4332


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 1.85–2.1 kg |
| Dimensions | 25.10, 1.50, 25.10, 18.30 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4332 |



ACR-RP-4336

## Top Rail Profile – Sec. 4336

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.2–3.45 kg |
| Dimensions | 52.30, 1.60, 36.25, 1.40 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4336 |



ACR-RP-4349

## Top Rail Profile – Sec. 4349

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 2.82–3 kg |
| Dimensions | Ø49.74, 1.38, 47.41, 1.30, 20.40 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4369

## Top Rail Profile – Sec. 4369


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.12–4.3 kg |
| Dimensions | 51.20, 1.55, 51.20, 19.90 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4369 |



ACR-RP-4399

## Top Rail Profile – Sec. 4399


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 15.6–16.15 kg |
| Dimensions | 64.10, 74.11, Ø6.00, 21.50 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4399 |



ACR-RP-4407

## Top Rail Profile – Sec. 4407

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 7–7.35 kg |
| Dimensions | 36.20, 4.80, 5.20, 41.90, Ø5.00, 20.10 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4408

## Top Rail Profile – Sec. 4408

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 1.9–2.1 kg |
| Dimensions | 25.30, 1.30, 25.50, 19.10 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4408 |



ACR-RP-4641

## Top Rail Profile – Sec. 4641

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 15.25–15.5 kg |
| Dimensions | 75.09, 65.34, 5.00, Ø5.00, 21.76 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4642

## Top Rail Profile – Sec. 4642

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.94–5.2 kg |
| Dimensions | 64.14, 1.70, 44.04, Ø4.00, 19.40 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4683

## Top Rail Profile – Sec. 4683

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.5–4.7 kg |
| Dimensions | 50.00, 2.40, 1.36, 1.40, 50.00, 20.20 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4690

## Top Rail Profile – Sec. 4690

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.83-4 kg |
| Dimensions | 70.20, 30.20, Ø3.50, 1.60, 20.20 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4702

## Top Rail Profile – Sec. 4702

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 7.57-7.82 kg |
| Dimensions | 44.57, 50.62, 3.93, Ø5.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4702 |



ACR-RP-4763

## Top Rail Profile – Sec. 4763


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 12.5-12.9 kg |
| Dimensions | 53.00, 6.10, 63.85, 63.70, 19.80 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4863

## Top Rail Profile – Sec. 4863


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.13-4.38 kg |
| Dimensions | 60.00, 1.50, 24.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4863 |



ACR-RP-5143

## Top Rail Profile – Sec. 5143


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 2.82-3.07 kg |
| Dimensions | 90.00, 17.50, 1.30 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5143 |



ACR-RP-5178

## Top Rail Profile – Sec. 5178

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 5.27-5.52 kg |
| Dimensions | 54.40, 2.00, 57.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5178 |



ACR-RP-5205

## Top Rail Profile – Sec. 5205


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.65-3.9 kg |
| Dimensions | 50.00, 50.00, 1.50, 17.90 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5205 |



ACR-RP-5206

## Top Rail Profile – Sec. 5206


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 2.83-3.08 kg |
| Dimensions | 40.00, 40.00, 1.50, 17.90 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5206 |



ACR-RP-5209

## Top Rail Profile – Sec. 5209

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 10.8-11.22 kg |
| Dimensions | 61.00, 68.20, 5.00, 16.90 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5209 |



ACR-RP-5210

### Top Rail Profile – Sec. 5210

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 6.36–6.61 kg |
| Dimensions | 48.80, 54.56, 4.00, 17.10 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5210 |

## Base Shoes / Bottom Channels



ACR-RP-2884

### Base Shoe Profile – Sec. 2884


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 1.1–1.35 kg |
| Dimensions | 10.00, 30.10, 1.5, 19.50 |
| Finishes | Mill Finish Aluminium |
| Section No. | 2884 |



ACR-RP-2885

### Base Shoe Profile – Sec. 2885


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 2–2.3 kg |
| Dimensions | 34.5, 2.8, 4.9, 25.0 |
| Finishes | Mill Finish Aluminium |
| Section No. | 2885 |



ACR-RP-3497

### Base Shoe Profile – Sec. 3497

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 10.7–11.2 kg |
| Dimensions | 13.00, 2.44, 71.00, 56.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3497 |



ACR-RP-3535

### Base Shoe Profile – Sec. 3535

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 5.6–6.3 kg |
| Dimensions | 17.5, 2.4, 60.0, 40.0 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3535 |



ACR-RP-3536

### Base Shoe Profile – Sec. 3536


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.65–4.1 kg |
| Dimensions | 14.0, 44.0, 2.0, 40.0 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3536 |



ACR-RP-3665

### Base Shoe Profile – Sec. 3665

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.075–3.35 kg |
| Dimensions | 8.50, 33.0, 21.80 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3665 |



ACR-RP-3666

## Base Shoe Profile – Sec. 3666

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 3.2–3.5 kg |
| Dimensions | 8.2, 38.0, 27.0 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3666 |



ACR-RP-3667

## Base Shoe Profile – Sec. 3667

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 0.55–0.6 kg |
| Dimensions | 37.80, 1.0, 10.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 3667 |



ACR-RP-4088

## Base Shoe Profile – Sec. 4088

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 10.75–11.1 kg |
| Dimensions | 23.10, 72.70, 1.80, 55.60 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4088 |



ACR-RP-4127

## Base Shoe Profile – Sec. 4127


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 14–14.6 kg |
| Dimensions | 215.00, 15.00, 4.00, 51.00, 4.00, 3.00 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4128

## Base Shoe Profile – Sec. 4128

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 5.85–6.15 kg |
| Dimensions | 2.50, 36.00, 122.50 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4128 |



ACR-RP-4131

## Base Shoe Profile – Sec. 4131

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 5.15–5.35 kg |
| Dimensions | 2.20, 59.24, 36.00, 2.20, 94.29, 125.00 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4273

## Base Shoe Profile – Sec. 4273

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 1.95–6.28 kg |
| Dimensions | 25.76, 7.20, 101.01, 1.50, 2.80 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4274

## Base Shoe Profile – Sec. 4274

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 10.05–10.3 kg |
| Dimensions | 6.00, 3.80, 95.60, 33.30 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4274 |



ACR-RP-4275

## Base Shoe Profile – Sec. 4275


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 14.8–15.4 kg |
| Dimensions | 15.02, 100.49, 7.85, 63.70 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4275 |



ACR-RP-4330

## Base Shoe Profile – Sec. 4330

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 2.2–2.4 kg |
| Dimensions | 40.10, 13.00, 40.10, 1.00, 1.70, 35.10 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4331

## Base Shoe Profile – Sec. 4331


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 5.95–6.25 kg |
| Dimensions | 13.00, 59.80, Ø3.80, 45.03 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4331 |



ACR-RP-4337

## Base Shoe Profile – Sec. 4337

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.1–4.3 kg |
| Dimensions | 33.84, 1.40, 65.40 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4337 |



ACR-RP-4338

## Base Shoe Profile – Sec. 4338

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 19.3–19.8 kg |
| Dimensions | 44.90, 30.39, 120.11, 45.30 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4339

## Base Shoe Profile – Sec. 4339

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 11.7–12.5 kg |
| Dimensions | 36.30, 4.31, 5.70, 86.90, 36.60 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4395

## Base Shoe Profile – Sec. 4395


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 8.3–8.65 kg |
| Dimensions | 13.90, 71.30, 1.70, 56.90 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4395 |



ACR-RP-4604

## Base Shoe Profile – Sec. 4604

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 4.4–4.6 kg |
| Dimensions | 25.00, 1.60, 46.10, 46.10 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4604 |



ACR-RP-4606

## Base Shoe Profile – Sec. 4606


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 12.87–13.1 kg |
| Dimensions | 14.50, 114.40, 1.80, 4.50, 78.66 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4607

## Base Shoe Profile – Sec. 4607

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 10.53–10.75 kg |
| Dimensions | 40.00, 7.57, 80.30, 3.40 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4607 |



ACR-RP-4667

## Base Shoe Profile – Sec. 4667


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 6.8–7.1 kg |
| Dimensions | 23.40, 1.50, 82.30, 18.90, 49.12 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4668

## Base Shoe Profile – Sec. 4668

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 1.15–1.3 kg |
| Dimensions | 6.70, 1.11, 80.22, 11.62 |
| Finishes | Mill Finish Aluminium |
| Section No. | 4668 |



ACR-RP-4681

## Base Shoe Profile – Sec. 4681

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 25.3–25.5 kg |
| Dimensions | 29.70, 7.90, 129.20, 8.70, 9.90, 95.70 |
| Finishes | Mill Finish Aluminium |



ACR-RP-4714

## Base Shoe Profile – Sec. 4714

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 17.6–17.9 kg |
| Dimensions | 19.20, 7.40, 97.80, 3.20, 84.00 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5110

## Base Shoe Profile – Sec. 5110

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 6.165–6.415 kg |
| Dimensions | 20.20, 54.20, 3.00, 48.30 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5110 |



ACR-RP-5112

## Base Shoe Profile – Sec. 5112

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 7.08–7.335 kg |
| Dimensions | 19.87, 60.20, 3.95, 33.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5112 |



ACR-RP-5179

## Base Shoe Profile – Sec. 5179

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 9.56–9.81 kg |
| Dimensions | 19.46, 2.00, 80.10, 2.00, 70.55 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5197

## Base Shoe Profile – Sec. 5197

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 25–25.5 kg |
| Dimensions | 15.80, 99.80, 6.80, 55.80 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5197 |



ACR-RP-5198

## Base Shoe Profile – Sec. 5198

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 21.45–21.95 kg |
| Dimensions | 13.90, 6.00, 100.40, 60.00 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5198 |



ACR-RP-5222

## Base Shoe Profile – Sec. 5222


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 0.6–0.85 kg |
| Dimensions | 3.50, 15.33, 14.54, 17.23 |
| Finishes | Mill Finish Aluminium |
| Section No. | 5222 |



ACR-RP-5273

## Base Shoe Profile – Sec. 5273

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 20.93–21.35 kg |
| Dimensions | 21.50, 5.00, 106.00, 6.10, 100.00 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5292

## Base Shoe Profile – Sec. 5292

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 9.17–9.42 kg |
| Dimensions | 22.67, Ø3.40, 2.20, 80.20, 2.20, 19.60 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5344

## Base Shoe Profile – Sec. 5344

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 13.98–14.43 kg |
| Dimensions | 34.84, Ø3.00, 109.94, 30.24, 5.04, 54.97 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5349

## Base Shoe Profile – Sec. 5349


| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 8.791–9.041 kg |
| Dimensions | 5.10, 65.80, R1.80, 19.40, 71.00 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5434

## Base Shoe Profile – Sec. 5434

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 20.21–20.63 kg |
| Dimensions | 30.39, 5°, 120.10, 26.87, 45.29 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5475

## Base Shoe Profile – Sec. 5475

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 6.91–7.16 kg |
| Dimensions | 71.10, 41.00, Ø3.20, 12.00, 75.00, 1.60 |
| Finishes | Mill Finish Aluminium |



ACR-RP-5505

## Base Shoe Profile – Sec. 5505

| | |
|---|---|
| Material | Aluminium |
| Weight/12 ft | 15.296–15.715 kg |
| Dimensions | 27.03, 2.02, 115.34, 27.05, 55.11 |
| Finishes | Mill Finish Aluminium |

# Spigots & Railing Accessories



SG-101

## Round Spigot 4" – Floor to Glass Holder

| | |
|---|---|
| Material | SS 304 |
| Glass | 10-12 mm |
| Dimensions | 4" (100 mm) round |
| Finishes | SS Satin, SS Polish |



SG-102

## Round Spigot 9" – Floor to Glass Holder

| | |
|---|---|
| Material | SS 304 |
| Glass | 10-12 mm |
| Dimensions | 9" (225 mm) round |
| Finishes | SS Satin, SS Polish |



SG-103

## Square Spigot 4" – Floor to Glass Holder (Flat)

| | |
|---|---|
| Material | SS 304 |
| Glass | 10-12 mm |
| Dimensions | 4" (100 mm) square |
| Finishes | SS Satin |



SG-104

## Square Spigot 9" – Floor to Glass Holder

| | |
|---|---|
| Material | SS 304 |
| Glass | 10-12 mm |
| Dimensions | 9" (225 mm) square |
| Finishes | SS Satin |



SG-105

## Wall to Track Glass Connector

| | |
|---|---|
| Material | SS 304 |
| Finishes | SS Satin, SS Polish |



SG-106

## Wall to Handrail Connector

| | |
|---|---|
| Material | SS 304 |
| Finishes | SS Satin, SS Polish |



SG-107

## Glass to Handrail Connector

| | |
|---|---|
| Material | SS 304 |
| Finishes | SS Satin, SS Polish |



SG-108

## Handrail Stud (Without Plate)

| | |
|---|---|
| Material | SS 304 |
| Dimensions | 45 × 45 |
| Finishes | SS Satin, SS Polish |



SG-109

## Handrail Stud (With Plate)

| | |
|---|---|
| Material | SS 304 |
| Dimensions | 45 × 45 |
| Finishes | SS Satin, SS Polish |

FINISHES

# Finish range

SS Satin

SS Polish

Black Matt

Bright Gold Brush

Rose Gold Brush

Champagne Brush

Gold

Rose Gold

Epoxy Coated

Mirror (Brass)

Mill Finish Aluminium

HARDWARE COMPANY

ADDRESS
F-17, Shubhash Chowk, Laxmi Nagar, Delhi – 110092, India

SALES
WhatsApp / Call +91 98101 93200
sales@acronhardwarecompany.com
**acronhardwarecompany.com**

Manufacturer · Importer · Wholesaler · Distributor · Generated 2026-11-28 from the Acron product database.